

Amendments to the Claims:

This listing of the claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (currently amended) A method for providing a system administrator with a view of a totality of applications accessible by a user, comprising:

identifying ~~a plurality~~ the totality of applications accessible by a the user by examining authentication credential container of the user; ~~and~~

generating a view of the ~~plurality~~ totality of applications accessible by the user; and

displaying the view to the administrator.
2. (currently amended) The method of claim 1 wherein the view is a consolidated directory of the ~~plurality~~ totality of the applications.
3. (currently amended) The method of claim 1 further comprising removing access to an application from the ~~plurality~~ totality of the applications by utilizing the view of the ~~plurality~~ totality of the applications accessible by the user.
4. (original) The method of claim 1 further comprising:

creating a user account for a new application to be accessible by the user utilizing the generated view; and

injecting authentication information of the user account into the authentication credential container of the user.
5. (original) The method of claim 4 wherein the authentication credential container is stored at a server.
6. (original) The method of claim 3 wherein the removing is performed automatically.

7. (original) The method of claim 4 wherein the creating the user account is performed automatically.
8. (original) The method of claim 4 wherein the creating the user account is performed manually by an administrator.
9. (original) The method of claim 4 wherein the authentication information is injected into a hardware device of the user.
10. (currently amended) The method of claim 1 further comprising removing individual user directories for each application of the ~~plurality~~ totality of the applications accessible by the user.
11. (currently amended) An apparatus for providing a system administrator with a view of a totality of applications accessible by a user, comprising:
 - an identifier module to identify ~~a plurality~~ the totality of applications accessible by ~~a~~ the user by examining authentication credential container of the user; and
 - a view generator to generate a view of the ~~plurality~~ totality of applications accessible by the user; and
 - a view displayer to display the view of the totality of applications accessible by the user to the administrator.
12. (currently amended) The apparatus of claim 11 wherein the view is a consolidated directory of the ~~plurality~~ totality of the applications.
13. (currently amended) The apparatus of claim 11 further comprising an interface to assist in removing access to an application from the ~~plurality~~ totality of the applications by utilizing the view of the ~~plurality~~ totality of the applications accessible by the user.
14. (original) The apparatus of claim 11 further comprising an interface to assist in creating a user account for a new application to be accessible by the user utilizing the generated view and injecting authentication information of the user account into the authentication credential container of the user.

15. (currently amended) An apparatus for providing a system administrator with a view of a totality of applications accessible by a user, comprising:
- means for identifying ~~a plurality~~ the totality of applications accessible by ~~a~~ the user by examining authentication credential container of the user; ~~and~~
- means for generating a view of the ~~plurality~~ totality of applications accessible by the user; and
- means for displaying the view of the totality of applications accessible by the user to the administrator.
16. (new) A method for providing a system administrator with a list of a totality of applications accessible by a user, comprising:
- identifying the totality of applications accessible by the user by examining an authentication credential container of the user;
- generating a list of the totality of applications accessible by the user; and
- displaying the list to the administrator.
17. (new) A method for providing a system administrator with a list of a totality of applications accessible by a user together with any user names and passwords used in connection with those applications, comprising:
- identifying the totality of applications accessible by the user and any user names and passwords used in connection with the totality of applications by examining an authentication credential container of the user;
- generating a list of the totality of applications accessible by the user together with any user names and passwords used in connection with the totality of applications; and
- displaying the list to the administrator.
18. (new) A method for providing a system administrator with a consolidated directory of a totality of applications accessible by a user, the method comprising:
- identifying the totality of applications accessible by the user by examining authentication credential container of the user;

generating a directory of the totality of applications accessible by the user;
and

displaying the directory to the administrator;

the directory comprising:

a name of the user;

a list of keys employed by the user also detailing the type and serial number of each key;

a profile of the user detailing a role of the user, a name of the user, an email address of the user, a department of the user, an employee ID of the user, and any additional attributes of the user that have been specified;

a means of updating and resetting the profile;

a list of all certificate-enabled applications accessible by the user also specifying a user name of the user and a last login attempt of the user;

a means of deleting the user name of the user;

a list of all enterprise applications accessible by the user also specifying a user name of the user and a last login attempt of the user; and

a list of all personal application accessible by the user also specifying a number of accounts connected to each personal application;

19. (new) The consolidated directory of claim 18, further comprising:

a specification of a password for each certificate-enabled application, each enterprise application, and each personal application.

20. (new) The consolidated directory of claim 18, further comprising:

means for a system administrator to add one or more applications to the lists of the certificate-enabled applications, the enterprise applications, or the personal applications of the user; and

means for a system administrator to delete one or more applications from the lists of the certificate-enabled applications, the enterprise applications, or the personal applications.